

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 03.05.2021

Version number 6


Revision: 03.05.2021


SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: **KEMPERTEC EP Primer (A)**
- UFI: GDW5-902Y-W00U-S5U9
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- Application of the substance / the mixture Identified use: intended for professional use only!
Primer
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: KEMPER SYSTEM GmbH & Co. KG
Holländische Strasse 32-36
34246 Vellmar
Deutschland / Germany
Telefon: +49 (0)561 / 8295-0
Telefax: +49 (0)561 / 8295-5110
E-Mail: MSDS@KEMPER-SYSTEM.COM
- Further information obtainable from: research & development
- 1.4 Emergency telephone number: Giftinformationszentrum der Länder Rheinland-Pfalz und Hessen
Langenbeckstraße 1; Gebäude 601; 55131 Mainz
Tel. Nr.: +49 (0)6131 / 19 24 0
Universitätsmedizin der Johannes Gutenberg-Universität Mainz

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008
 - Skin Irrit. 2 H315 Causes skin irritation.
 - Eye Irrit. 2 H319 Causes serious eye irritation.
 - Skin Sens. 1 H317 May cause an allergic skin reaction.
 - Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.
- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008
- Hazard pictograms


GHS07


GHS09

The product is classified and labelled according to the CLP regulation.
- Signal word: Warning
- Hazard-determining components of labelling:
 - bis[4-(2,3-epoxypropoxy)phenyl]propane
 - Bisphenol F epichlorohydrin resin MW <700
 - oxirane, mono[(C12-14-alkyloxy)methyl] derivs
- Hazard statements
 - H315 Causes skin irritation.
 - H319 Causes serious eye irritation.
 - H317 May cause an allergic skin reaction.
 - H411 Toxic to aquatic life with long lasting effects.
- Precautionary statements
 - P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
 - P273 Avoid release to the environment.
 - P280 Wear protective gloves / eye protection / face protection.
 - P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 - P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
 - P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- Additional information: EUH205 Contains epoxy constituents. May produce an allergic reaction.
- 2.3 Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

- Determination of endocrine-disrupting properties

1675-54-3 bis[4-(2,3-epoxypropoxy)phenyl]propane

List II

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 03.05.2021

Version number 6

Revision: 03.05.2021

Trade name: **KEMPERTEC EP Primer (A)**

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures

- Description:

Mixture: consisting of the following components.

- Dangerous components:

| | | |
|---|--|------------|
| CAS: 1675-54-3 EINECS: 216-823-5 Index number: 603-073-00-2 Reg.nr.: 01-2119456619-26 | bis[4-(2,3-epoxypropoxy)phenyl]propane Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317 Specific concentration limits: Eye Irrit. 2; H319: C ≥ 5 % Skin Irrit. 2; H315: C ≥ 5 % | 50-100% |
| CAS: 9003-36-5 NLP: 500-006-8 Reg.nr.: 01-2119454392-40 | Bisphenol F epichlorohydrin resin MW <700 Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1, H317 | ≥12.5-<25% |
| CAS: 68609-97-2 EINECS: 271-846-8 Index number: 603-103-00-4 Reg.nr.: 01-2119485289-22 | oxirane, mono[(C12-14-alkyloxy)methyl] derivs Skin Irrit. 2, H315; Skin Sens. 1, H317 | 12.5-25% |

- Additional information:

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures

- General information:

Immediately remove any clothing soiled by the product.
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Do not leave affected persons unattended.

Personal protection for the First Aider.

Take affected persons out of danger area and lay down.

- After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

- After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment in case of complaints.

- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

Protect unharmed eye.

- After swallowing:

If symptoms persist consult doctor.

- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media

- Suitable extinguishing agents:

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Use fire extinguishing methods suitable to surrounding conditions.

- 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters

- Protective equipment:

Do not inhale explosion gases or combustion gases.

- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

Avoid contact with skin and eyes

- 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Prevent from spreading (e.g. by damming-in or oil barriers).

Do not allow to enter sewers/ surface or ground water.

- 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

- 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 03.05.2021

Version number 6

Revision: 03.05.2021

Trade name: **KEMPERTEC EP Primer (A)**

See Section 13 for disposal information.

(Contd. of page 2)

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
Store in cool, dry place in tightly closed receptacles.
Prevent formation of aerosols.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:** Protect from frost.
Store in dry conditions.
Recommended storage temperature: 5-30 °C
Keep container tightly sealed.
- **Storage class:** 10
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**

| - DNELs | | |
|---|--------------------------|---|
| 1675-54-3 bis[4-(2,3-epoxypropoxy)phenyl]propane | | |
| Inhalative | Acute - systemic effects | 12.25 mg/m ³ (Worker) (GESTIS DNEL List (June 2018)) |
| 68609-97-2 oxirane, mono[(C12-14-alkyloxy)methyl] derivs | | |
| Inhalative | Acute - systemic effects | 3.6 mg/m ³ (Worker) (GESTIS DNEL List (June 2018)) |

- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Appropriate engineering controls** No further data; see item 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:** The usual precautionary measures are to be adhered to when handling chemicals.
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
- **Respiratory protection:** When used properly and under normal conditions, breathing protection is not required.
Use suitable respiratory protective device in case of insufficient ventilation.
Filter A/P2
Respiratory protection - Gas filters and combination filters according to (DIN EN 141)
- **Hand protection**



Protective gloves

Check protective gloves prior to each use for their proper condition.
Only use chemical-protective gloves with CE-labelling of category III.
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
After use of gloves apply skin-cleaning agents and skin cosmetics.

- **Material of gloves** Recommended materials:
Butyl rubber, BR
Recommended thickness of the material: ≥ 0.5 mm
Penetration time (min.): < 480
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- **Penetration time of glove material** The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 03.05.2021

Version number 6

Revision: 03.05.2021

Trade name: **KEMPERTEC EP Primer (A)**

(Contd. of page 3)

- As protection from splashes gloves made of the following materials are suitable:

Nitrile rubber, NBR
Recommended thickness of the material: ≥ 0.1 mm
Penetration time (min.): < 10

- Eye/face protection



Tightly sealed goggles

- Body protection:

Protective goggles and facial protection - Classification according to EN 166 protective clothing (EN 13034)

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties

- General Information

| | |
|--|------------------------------------|
| - Colour: | According to product specification |
| - Odour: | Characteristic |
| - Odour threshold: | Not determined. |
| - Melting point/freezing point: | Undetermined. |
| - Boiling point or initial boiling point and boiling range | >250 °C |
| - Flammability | Not applicable. |
| - Lower and upper explosion limit | |
| - Lower: | Not determined. |
| - Upper: | Not determined. |
| - Flash point: | >124 °C |
| - Auto-ignition temperature: | Product is not selfigniting. |
| - Decomposition temperature: | Not determined. |
| - pH at 20 °C | 6.6 |
| - Viscosity: | |
| - Kinematic viscosity at 20 °C | 1,100 mm ² /s |
| - Dynamic: | Not determined. |
| - Solubility | |
| - water: | Not miscible or difficult to mix. |
| - Partition coefficient n-octanol/water (log value) | Not determined. |
| - Density and/or relative density | |
| - Density at 20 °C: | 1.13 g/cm ³ |
| - Relative density | Not determined. |
| - Vapour density | Not determined. |

- 9.2 Other information

| | |
|---|---|
| - Appearance: | |
| - Form: | Fluid |
| - Important information on protection of health and environment, and on safety. | |
| - Explosive properties: | Product does not present an explosion hazard. |
| - Solvent content: | |
| - Organic solvents: | 0.6 % |
| - VOC (EC) | 5.85 % |
| - Change in condition | |
| - Evaporation rate | Not determined. |

- Information with regard to physical hazard classes

| | |
|------------------------|------|
| - Explosives | Void |
| - Flammable gases | Void |
| - Aerosols | Void |
| - Oxidising gases | Void |
| - Gases under pressure | Void |
| - Flammable liquids | Void |

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 03.05.2021

Version number 6

Revision: 03.05.2021

Trade name: **KEMPERTEC EP Primer (A)**

(Contd. of page 4)

| | |
|---|------|
| - Flammable solids | Void |
| - Self-reactive substances and mixtures | Void |
| - Pyrophoric liquids | Void |
| - Pyrophoric solids | Void |
| - Self-heating substances and mixtures | Void |
| - Substances and mixtures, which emit flammable gases in contact with water | Void |
| - Oxidising liquids | Void |
| - Oxidising solids | Void |
| - Organic peroxides | Void |
| - Corrosive to metals | Void |
| - Desensitised explosives | Void |

SECTION 10: Stability and reactivity

| | |
|---|---|
| - 10.1 Reactivity | No further relevant information available. |
| - 10.2 Chemical stability | |
| - Thermal decomposition / conditions to be avoided: | No decomposition if used according to specifications. |
| - 10.3 Possibility of hazardous reactions | No dangerous reactions known. |
| - 10.4 Conditions to avoid | No further relevant information available. |
| - 10.5 Incompatible materials: | No further relevant information available. |
| - 10.6 Hazardous decomposition products: | No dangerous decomposition products known. |

SECTION 11: Toxicological information

| | |
|---|---|
| - 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 | |
| - Acute toxicity | Based on available data, the classification criteria are not met. |

- LD/LC50 values relevant for classification:

1675-54-3 bis[4-(2,3-epoxypropoxy)phenyl]propane

| | | |
|--------|------|--|
| Oral | LD50 | >2,000 mg/kg (rat) (OECD Guideline 401 (Acute Oral Toxicity)) |
| Dermal | LD50 | >2,000 mg/kg (rat) (OECD Guideline 402 (Acute Dermal Toxicity)) |
| | | >3,450 mg/kg (rabbit) (OECD Guideline 402 (Acute Dermal Toxicity)) |

9003-36-5 Bisphenol F epichlorohydrin resin MW <700

| | | |
|--------|------|-----------------------|
| Oral | LD50 | 23,800 mg/kg (rat) |
| Dermal | LD50 | >2,000 mg/kg (rabbit) |

68609-97-2 oxirane, mono[(C12-14-alkyloxy)methyl] derivs

| | | |
|--------|------|-----------------------|
| Oral | LD50 | 19,200 mg/kg (rat) |
| Dermal | LD50 | >4,500 mg/kg (rabbit) |

| | |
|-------------------------------------|---|
| - Skin corrosion/irritation | Causes skin irritation. |
| - Serious eye damage/irritation | Causes serious eye irritation. |
| - Respiratory or skin sensitisation | May cause an allergic skin reaction. |
| - Germ cell mutagenicity | Based on available data, the classification criteria are not met. |
| - Carcinogenicity | Based on available data, the classification criteria are not met. |
| - Reproductive toxicity | Based on available data, the classification criteria are not met. |

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 03.05.2021

Version number 6

Revision: 03.05.2021

Trade name: **KEMPERTEC EP Primer (A)**

(Contd. of page 5)

- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**

- **Endocrine disrupting properties**

1675-54-3 bis[4-(2,3-epoxypropoxy)phenyl]propane

List II

SECTION 12: Ecological information

- **12.1 Toxicity**- **Aquatic toxicity:****1675-54-3 bis[4-(2,3-epoxypropoxy)phenyl]propane**

| | |
|-----------|--|
| NOEC 72h | 4.2 mg/l (Selenastrum capricornutum) |
| ErC50 | >11 mg/l (Scenedesmus capricornutum) (72h) |
| LC50/96 h | 2 mg/l ((Salmo gairdneri) Regenbogenforelle) |
| EC50 | 1.8 mg/l (Daphnia magna) (48 h) |
| NOEC | 0.3 mg/l (Daphnia magna) |

9003-36-5 Bisphenol F epichlorohydrin resin MW <700

LC50/96 h >100 mg/l (fish)

68609-97-2 oxirane, mono[(C12-14-alkyloxy)methyl] derivs

| | |
|-----------|---|
| EbC50 | 843 mg/l (Pseudokirchneriella subcapitata) |
| LC50/96 h | 1,800 mg/l (LEPOMUS MACROCHIRUS) >5,000 mg/l (Oncorhynchus mykiss (Regenbogenforelle)) |
| NOEC | 500 mg/l (Pseudokirchneriella subcapitata) (NOEC (72 hr)) |

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.
- **12.7 Other adverse effects**
- **Remark:** Toxic for fish
- **Additional ecological information:**
- **General notes:**

Also poisonous for fish and plankton in water bodies.
Toxic for aquatic organisms
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**- **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.
The national and local legal regulations are to be observed.

- **European waste catalogue**

| | |
|-----------|--|
| 08 04 09* | waste adhesives and sealants containing organic solvents or other hazardous substances |
| 15 01 10* | packaging containing residues of or contaminated by hazardous substances |
| 17 02 03 | plastic |

- **Uncleaned packaging:**- **Recommendation:**

Disposal must be made according to official regulations.

SECTION 14: Transport information

- **14.1 UN number or ID number**- **ADR, IMDG, IATA**

UN3082

(Contd. on page 7)

EN

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 03.05.2021

Version number 6

Revision: 03.05.2021


Trade name: **KEMPERTEC EP Primer (A)**

(Contd. of page 6)

- **14.2 UN proper shipping name**
- ADR 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (bis[4-(2,3-epoxypropoxy)phenyl]propane, Bisphenol F epichlorohydrin resin MW <700)
- IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (bis[4-(2,3-epoxypropoxy)phenyl]propane, Bisphenol F epichlorohydrin resin MW <700), MARINE POLLUTANT
- IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (bis[4-(2,3-epoxypropoxy)phenyl]propane, Bisphenol F epichlorohydrin resin MW <700)

- **14.3 Transport hazard class(es)**

- ADR



- Class 9 (M6) Miscellaneous dangerous substances and articles.
- Label 9

- **IMDG, IATA**



- Class 9 Miscellaneous dangerous substances and articles.
- Label 9

- **14.4 Packing group**

- ADR, IMDG, IATA III

- **14.5 Environmental hazards:**

Product contains environmentally hazardous substances: bis[4-(2,3-epoxypropoxy)phenyl]propane
- Marine pollutant: Symbol (fish and tree)
- Special marking (ADR): Symbol (fish and tree)
- Special marking (IATA): Symbol (fish and tree)

- **14.6 Special precautions for user**

Warning: Miscellaneous dangerous substances and articles.
- Hazard identification number (Kemler code): 90
- EMS Number: F-A,S-F
- Stowage Category A

- **14.7 Maritime transport in bulk according to IMO instruments** Not applicable.

- **Transport/Additional information:**

- ADR
- Limited quantities (LQ) 5L
- Excepted quantities (EQ) Code: E1
 Maximum net quantity per inner packaging: 30 ml
 Maximum net quantity per outer packaging: 1000 ml
- Transport category 3

- IMDG
- Limited quantities (LQ) 5L
- Excepted quantities (EQ) Code: E1
 Maximum net quantity per inner packaging: 30 ml
 Maximum net quantity per outer packaging: 1000 ml

- UN "Model Regulation": UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BIS[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE, BISPENOL F EPICHLOROHYDRIN RESIN MW <700), 9, III

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

- Directive 2012/18/EU
- Named dangerous substances - ANNEX I None of the ingredients is listed.
- Seveso category E2 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t

(Contd. on page 8)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 03.05.2021

Version number 6

Revision: 03.05.2021

Trade name: **KEMPERTEC EP Primer (A)**

(Contd. of page 7)

- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t

- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

- **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

- **REGULATION (EU) 2019/1148**

- **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

- **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

- **National regulations:**

- **Information about limitation of use:**

Employment restrictions concerning juveniles must be observed.
Employment restrictions concerning pregnant and lactating women must be observed.
Employment restrictions concerning women of child-bearing age must be observed.

- **15.2 Chemical safety assessment:**

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

The safety data sheet issued is also compliant with the regulation Annex I of Regulation (EU) no. 453/2010 and Annex II of Regulation (EU) no. 2020/878.

- **Relevant phrases**

H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H411 Toxic to aquatic life with long lasting effects.

- **Department issuing SDS:**

research & development

- **Contact:**

research & development

- **Date of previous version:**

03.05.2021

- **Version number of previous version:**

5

- **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
DNEL: Derived No-Effect Level (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

- **Sources**

- www.echa.europa.eu
- www.baua.de
IFA: Institute für Occupational Safety and Health of the German Social Accident Insurance:
- www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index.jsp
- www.dguv.de/ifa/gestis/gestis-dnel-liste

- * Data compared to the previous version altered.