

BALCONY AND TERRACE





CONTENTS

KEMPER SYSTEM

06 What is KEMPEROL?

Balcony and terrace

- 08 Area of application
- 10 Design options
- 14 Solvent-free systems
- 16 Single-component systems
- 18 Fast-curing system

KEMPEROL in use

20 Le Parnasse, Rouen 22 Private balcony 24 Areas of application at a glance

Advice and **service**

26 Service, advice and contact information

ABOUT KEMPEROL

THE BEST FOR PROFESSIONALS! AS ALWAYS.

KEMPEROL – the liquid waterproofing that meets the highest demands. Thanks to its liquid application, it perfectly adapts to all conditions. The reactive resin-based material is easy to apply and cures to form a seamless waterproofing. The result: permanent elasticity boasting full-surface adhesion and long-term protection. Tailormade for your requirements. Tailor-made for professionals. Any surface waterproofed with KEMPEROL that is regularly exposed to foot traffic, mechanical friction or other stresses is reliably protected by KEMPERDUR waterproofing. This gives you the opportunity to express your creativity – without compromising on construction.





WHY CHOOSE **KEMPEROL**?

Company proximity to the user is what makes KEMPEROL products so unique - a Kemper contact is always nearby. When developing products, our focus is on effective, practical application. This means KEMPEROL systems and solutions offer a perfect all-round package: consistent quality, first-class service and easy application and processing. KEMPEROL offers the perfect solution for every challenge.

FOR EVERY SUBSTRATE

Every substrate has its own special requirements. Our solutions cover them across the board.



TESTED QUALITY

All products are subject to regular quality checks by our own research and development department. In addition, tests are carried out by external testing, monitoring and approval bodies.



EASY APPLICATION

Faster execution due to easy application and reliable effectiveness.




ALWAYS THE BEST SERVICE

From advice to training to application we support you to get the best result.

ROBUST WATERPROOFING AND COATING WITH A SYSTEM

An ideal holistic solution is achieved by using **KEMPEROL waterproofing** in combination with a **KEMPERTEC primer** and **KEMPERDUR coating**. In combination, the products harmonise to form a robust system with components that match perfectly. And all this from a single source. The multiple options allow you to combine the ideal components to achieve the best result for your project.



* Please follow the primer instructions.

PROVEN QUALITY FROM **KEMPER SYSTEM**

KEMPER SYSTEM has been the driving force in the liquid waterproofing field for over 60 years. As one of the world's leading manufacturers, we convince with the highest quality standards. Our products feature a CE marking and a European Technical Assessment (ETA) and are continuously tested and certified by numerous independent bodies. Quality, a spirit of innovation and our proximity to the user are values we also stand for internationally.

7 Sealing incl. scattering (optional) KEMPERDUR Finish

6 Coating KEMPERDUR

5 Waterproofing (upper layer) **KEMPEROL**

4 Insert KEMPEROL fleece

3 Waterproofing (base layer) KEMPEROL

2 Primer* KEMPERTEC

> Substrate Concrete







AREA OF APPLICATION - BALCONY AND TERRACE WATERPROOF DOWN TO THE LAST DETAIL


Especially in outdoor areas, all components must be reliably waterproofed. Whether it's a question of detailing work or full-surface application, thanks to KEMPEROL you get everything from a single source. Due to its liquid application, even complex joins and very narrow spaces between balusters, curvatures and edges can be waterproofed with KEMPEROL in a way that bridges cracks and permanently retains elasticity. The material adapts to all substrates over the entire surface.

WE THOUGHT OF EVERYTHING...

It is not only on broad surfaces that KEMPEROL products prove their effectiveness. KEMPEROL is also a reliable partner when it comes to complex details and joins.



BROAD SURFACES



WALL FLASHINGS





INDIVIDUAL DESIGN OPTIONS DECORATIVE SURFACES

In outdoor areas in particular, the feel-good factor plays a major role. That is why KEMPEROL, with its KEMPERDUR and KEMCO product ranges, offers you a variety of individual design options that will make your balcony or terrace unique. Choose between various colours, properties and textures – all in proven KEMPEROL quality, of course. Let outdoor surfaces shine and give them a longer service life at the same time.

COLOURED KEMPERDUR AC-FINISH

Not only ensures reliable waterproofing but also adds colourful accents worth looking at.



KEMPERDUR DEKO + COLOURED CHIPS

By combining a coloured coating with small coloured chips, you can give your exterior surfaces a unique appearance.



Light grey

Beige







Stone grey



KEMCO COLOURED QUARTZ COVERING

Lightfast and slip-resistant – combine form and function with quartz sand interspersion.






Grey / white / red

Grey / white / black



Agate


Graphite / oxide / ivory





Yellow / white / black

Graphite



Papyrus

QUESTIONS ABOUT OUR DESIGN OPTIONS?

WE WOULD BE HAPPY TO ADVISE YOU!

TECHNICAL HOTLINE +49 (0)561 8295-5555

ALL PRODUCT DETAILS AT kemperol.com

KEMCO DECOR STONE

The perfect look made from high-quality natural marble and granite.



Dark beige



Light grey



Light brown / terra



Chestnut



Contrasting brown

Anthracite




Contrasting black



Copper / beige



Red / white / black







Ochre



Umbra

SOLVENT-FREE

SYSTEMS

Balcony, terrace or access balcony, whether above a lively space or on a surface in use - we offer solvent-free and odourless products. This means residents, neighbours and employees will not be affected.

IDEAL FOR

- **RESIDENTIAL BUILDINGS** -
- INTERIORS 1
- 1 UTILITY SPACES

SOLVENT-FREE SYSTEM I

Surfaces under average stress

Wherever waterproofing is walked on beyond maintenance purposes, the KEMPERDUR Deko 2K coating is suitable as a protective layer. Coloured chips interspersed into the coating make this system an attractive, easy-to-clean finish for surfaces in normal day-to-day use.

THE SYSTEM STRUCTURE

- 1 | PRIMER depending on substrate*
- WATERPROOFING 2 KEMPEROL 2K-PUR waterproofing with KEMPEROL 165 fleece
- 3 COATING KEMPERDUR Deko 2K with chip interspersion
- 4 SEALING **KEMPERDUR Finish**




Surfaces under heavy stress

The KEMPERDUR HB High-Build with a layer thickness of approx. 3 mm compensates for small irregularities in the substrate or overlaps in the fleece of the waterproofing. It is suitable for high loads, even with heavier traffic, and can be individually styled with the interspersion of coloured chips.


THE SYSTEM STRUCTURE

- 1 | PRIMER depending on substrate*
- 2 WATERPROOFING KEMPEROL 2K-PUR waterproofing with KEMPEROL 165 fleece
- 3 COATING KEMPERDUR HB High-Build with chip interspersion



– ADVANTAGES —

- for normal use 1
- easy to clean
- attractive coating



ADVANTAGES —

- for surfaces under heavy stress ✓
- compensates for small irregularities 1
- individual design


SOLVENT-FREE SYSTEM III

Decorative wear-and-tear layer

KEMPERDUR TC coating is suitable as a long-term, selflevelling wear top layer on all interior and exterior surfaces. It compensates for minor irregularities and fleece overlaps in the substrate. After curing, **KEMPERDUR TC** must receive an additional decorative coat using KEMPERDUR Deko 2K and interspersing chips.

THE SYSTEM STRUCTURE

- 1 | PRIMER depending on substrate*
- 2 WATERPROOFING KEMPEROL 2K-PUR waterproofing with KEMPEROL 165 fleece
- 3 | COATING KEMPERDUR TC coating
- 4 COATING KEMPERDUR Deko 2K with chip interspersion





for interior and exterior surfaces compensates for fleece overlaps

* Please follow the primer instructions.

– ADVANTAGES —

SINGLE-COMPONENT

SYSTEMS

SINGLE-COMPONENT SYSTEM I

Surfaces, balconies or terraces can also be treated using a single-component product. Stir the material, then simply apply the liquid waterproofing directly from the container. When done, close the container for future use.*

Processing instructions:

We recommend laying the fleece butt-jointed for waterproofing using the **KEMCO RS reinforcement strip** for all specified systems so that no overlaps are visible in the coating.

IDEAL FOR

- EASY APPLICATION 1
- SMALLER SURFACES ~
- 1 **FUTURE APPLICATION**

Decorative and protective


KEMPERDUR Deko perfectly complements the singlecomponent **KEMPEROL 1K-PUR waterproofing** system. A practical protective coating that can be varied by interspersing coloured chips. By adding a special anti-slip granulate to the sealant, it can reach slip-resistance class R10.

THE SYSTEM STRUCTURE

- PRIMER 1 depending on substrate**
- 2 WATERPROOFING KEMPEROL 1K-PUR waterproofing with KEMPEROL 165 fleece
- 3 COATING KEMPERDUR Deko with chip interspersion
- 4 SEALING sealing (optionally incl. KEMPERDUR ASG granulate)


* For future application of KEMPEROL 1K-PUR, KEMPERDUR Deko and KEMPERDUR Deko transparent, KEMCO 1K thinner must be added as a "liquid lid" before closing the container.

** Please follow the primer instructions.



– ADVANTAGES —

- slip-resistance class R10 1
- easy care system



SINGLE-COMPONENT SYSTEM II

Non-slip and easy to maintain

This balcony and terrace system is slip-resistant and easy to maintain. By interspersing quartz sand (grain size 0.4 - 0.8 mm) into the still-wet KEMPERDUR Deko transparent and subsequent sealing, this system meets both requirements fully.

THE SYSTEM STRUCTURE

- 1 | PRIMER depending on substrate**
- 2 | WATERPROOFING KEMPEROL 1K-PUR waterproofing with KEMPEROL 165 fleece
- 3 COATING KEMPERDUR quartz coating

ADVANTAGES = slip-resistance class R12

decorative protection

√


SINGLE-COMPONENT SYSTEM III

Durably decorative

Natural marble and granite in various colours characterize this open-pored covering for balconies and terraces. In combination with KEMPEROL 1K-PUR waterproofing, KEMCO Decor Stone / Natural Stone offers optimum protection and a sophisticated, high-quality surface.

THE SYSTEM STRUCTURE

- 1 | PRIMER depending on substrate**
- 2 WATERPROOFING KEMPEROL 1K-PUR waterproofing with KEMPEROL 165 fleece
- 3 BONDING COAT KEMPERTEC EP / EP5 with KEMCO NQ 0408
- 4 | COATING KEMCO Decor Stone / Natural Stone with KEMCO QB1 binder



– ADVANTAGES –



high-quality look optimum protection

FAST-CURING

SYSTEM


Quick to the finish

The **KEMPEROL/KEMPERDUR AC system**, based on PMMA resins, enables rapid restoration of all surfaces – which means they only need to be blocked off for a short time. The reaction times are short and perfectly coordinated – a rapid system covering primer to decorative finish.

THE SYSTEM STRUCTURE

- **PRIMER**

 KEMPERTEC AC primer / KEMPERTEC AC mineral primer
- 2 WATERPROOFING KEMPEROL AC Speed waterproofing with KEMPEROL 165 fleece
- 3 COATING KEMPERDUR AC coating
- 4 COATING KEMPERDUR AC-Finish with KEMPERDUR CS Microchips



- ADVANTAGES -

- ✓ ideal for minimizing surface downtime
- ✓ rapid reaction times
- ✓ application at low temperatures



BALCONY AND TERRACE

OUR PRODUCTS IN USE

Le Parnasse, Rouen

Revitalisation of a roof terrace

Le Parnasse, a complex consisting of multi-storey residential buildings, is extraordinary for its 1,300 m² roof terrace. In the course of an extensive refurbishment project, this roof terrace was waterproofed and colourfully decorated with KEMPEROL.

After more than 50 years of use, the houses received a top-to-bottom renovation. The new waterproofing needed to be not only state-of-the-art but also aesthetically pleasing and resistant enough to be walked on. A case for KEMPEROL.

PROJECT DATA

OBJECT: Le Parnasse

LOCATION: Rouen

YEAR OF EXECUTION: 2014

SPECIALIST: EMAT

PRODUCTS: KEMPEROL waterproofing, KEMPERDUR AC-Finish





REFERENCES 21




Private balcony

Long-term waterproofing with creative redesign

As a very private place in the sun, the home balcony enjoys great popularity. For the user to be able to enjoy the outdoors with unadulterated pleasure, attention must be paid not only to the aesthetic design but also to the long-term protection of the building's fabric. This is because balconies are among the most exposed structural components in building construction.

Thanks to **KEMPEROL 2K-PUR**, an old balcony on the upper floor of a two-storey residential building was renovated to the current state of the art and decorated according to the customer's ideas with our **KEMPERDUR TC coating** und KEMPERDUR Deko including chip interspersion. ASG anti-slip granulate was interspersed into the final **KEMPERDUR sealant**. The comprehensive renovation has given birth to a real feel-good place, a spot in the sun that people love to use.





PROJECT DATA

- **OBJECT:** Private balcony
- LOCATION: Kassel
- YEAR OF EXECUTION: 2010
- **PRODUCTS:** KEMPERTEC EP primer,
 - KEMPEROL 2K-PUR waterproofing, KEMPERDUR TC coating and KEMPERDUR Deko with chip interspersion, KEMPERDUR sealant with ASG







OUR AREAS OF APPLICATION **ALWAYS** THE PERFECT SOLUTION







A strong foundation under heavy loads

OTHER AREAS OF APPLICATION







INTERIOR

Gentle solution for sensitive application areas





Fall-through and hail protected

MONUMENT CONSERVATION



Discover the KEMPEROL world at

kemperol.com



SERVICE, ADVICE AND CONTACT INFORMATION

FOR PROF-ESSIONALS, BY PROFESSIONALS

One of the quality features of KEMPEROL is its local accessibility to the user. We also embody this philosophy when it comes to our service. Our expert advisers are there for you worldwide, thanks to our international locations and sales networks. Technical advice, training or on-site project support – KEMPEROL supports you through to the optimal result of your project.

OUR SERVICE PROMISE

- Expert advice from the product to the finished project
- Preparation of maintenance plans
- ✓ Worldwide support and training on site

ANY QUESTIONS? WE WOULD BE HAPPY TO ADVISE YOU!





LOOKING FOR MORE **KEMPER SYSTEM?** (**f**)

Technical hotline

+49 (0)561 8295-5555

Mon.–Thu.: 7.30 am to 17.30 pm Fri.: 7.30 am to 15.30 pm

Sales hotline +49 (0)561 8295-5568

Mon.–Thu.: 7.30 am to 17.30 pm Fri.: 7.30 am to 15.30 pm

(O') @KemperSystemGermany

@KemperSystem

@KemperSystemGermany

post@kemper-system.com

kemper-system.com

kemperol.com





KEMPER SYSTEM GmbH & Co. KG Holländische Straße 32-36 I 34246 Vellmar, Germany Phone +49 (0)561 8295-0 I post@kemper-system.com

