

according to 1907/2006/EC, Article 31

Printing date 22.06.2017 Version number 2 Revision: 22.06.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier

KEMPERDUR Deko 2K (A) - Trade name:

- 1.2 Relevant identified uses of the substance or mixture and uses advised

Identified use: intended for professional use only!

- Application of the substance / the mixture Coating - 1.3 Details of the supplier of the safety data sheet

- Manufacturer/Supplier: KEMPER SYSTEM GmbH & Co. KG

Holländische Strasse 32-36 34246 Vellmar Deutschland / Germany Telefon: +49 (0)561 / 8295-0 Telefax: +49 (0)561 / 8295-5110

E-Mail: MSDS@KEMPER-SYSTEM.COM

- Further information obtainable from: Research and Development

- 1.4 Emergency telephone number: Giftinformationszentrum der Länder Rheinland-Pfalz und Hessen

Langenbeckstraße 1; Gebäude 601; 55131 Mainz

Tel. Nr.: +49 (0)6131 / 19 24 0

Universitätsmedizin der Johannes Gutenberg-Universität Mainz

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture

Classification according to Regulation (EC)

No 1272/2008 The product is not classified according to the CLP regulation.

- 2.2 Label elements

- Labelling according to Regulation (EC) No

1272/2008 Void Hazard pictograms Void Signal word Void - Hazard statements

- 2.3 Other hazards

- Results of PBT and vPvB assessment

- PBT: Not applicable. - vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Chemical characterisation: Mixtures

- Description: Mixture: consisting of the following components.

- Dangerous components:

For the wording of the listed hazard phrases refer to section 16. - Additional information:

SECTION 4: First aid measures

- 4.1 Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48

hours after the accident.

Do not leave affected persons unattended. Personal protection for the First Aider.

Take affected persons out of danger area and lay down.

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints. Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment in case of complaints.

Seek medical treatment.

- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

Protect unharmed eve.

- After swallowing: If symptoms persist consult doctor.

 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available

SECTION 5: Firefighting measures

- 5.1 Extinguishing media

- After inhalation:

- After skin contact:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. - Suitable extinguishing agents:

(Contd. on page 2)



according to 1907/2006/EC, Article 31

Printing date 22.06.2017 Version number 2 Revision: 22.06.2017

Trade name: KEMPERDUR Deko 2K (A)

Use fire extinguishing methods suitable to surrounding conditions.

(Contd. of page 1)

- 5.2 Special hazards arising from the

substance or mixture

- Additional information

- 5.3 Advice for firefighters - Protective equipment:

No further relevant information available.

Do not inhale explosion gases or combustion gases.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective

equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

- 6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water. Prevent from spreading (e.g. by damming-in or oil barriers).

- 6.3 Methods and material for containment

and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

- 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling

Store in cool, dry place in tightly closed receptacles. Ensure good ventilation/exhaustion at the workplace.

- Information about fire - and explosion

protection:

No special measures required.

- 7.2 Conditions for safe storage, including any incompatibilities

- Storage:

- Requirements to be met by storerooms and receptacles:

Information about storage in one common

Store only in the original receptacle.

storage facility:

Store away from foodstuffs.

Further information about storage

conditions:

Protect from frost. Store in dry conditions. Keep container tightly sealed.

Recommended storage temperature: 10-30 °C

Storage class:

- 7.3 Specific end use(s)

No further relevant information available.

SECTION 8: Exposure controls/personal protection

Additional information about design of

technical facilities:

No further data; see item 7.

8.1 Control parameters

- Ingredients with limit values that require monitoring at the workplace:

- Additional information: The lists valid during the making were used as basis.

- 8.2 Exposure controls

- Personal protective equipment:

- General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

When used properly and under normal conditions, breathing protection is not required. - Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

Filter A/P2

Respiratory protection - Gas filters and combination filters according to EN 141

- Protection of hands:



Protective gloves

Only use chemical-protective gloves with CE-labelling of category III.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 3)



according to 1907/2006/EC, Article 31

Printing date 22.06.2017 Version number 2 Revision: 22.06.2017

Trade name: KEMPERDUR Deko 2K (A)

(Contd. of page 2)

Due to missing tests no recommendation to the glove material can be given for the product/

the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics.

- Material of gloves Recommended materials:

Butyl rubber, BR

Recommended thickness of the material: ≥ 0.5 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of

quality and varies from manufacturer to manufacturer.

- Penetration time of glove material The determined penetration times according to EN 374 part III are not performed under practical

conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is

recommended.

- As protection from splashes gloves made of

the following materials are suitable:

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.1 mm

Penetration time (min.): <10

- Eye protection:

Tightly sealed goggles

Protective goggles and facial protection - Classification according to EN 166

- Body protection: Protective work clothing

Impervious protective clothing

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- General Information

- Appearance:

Form: Fluid

Colour: According to product specification

Odour: Characteristic
 Odour threshold: Not determined.
 pH-value: Not determined.

- Change in condition

Melting point/freezing point:
Initial boiling point and boiling range:
Undetermined.
Undetermined.

Not applicable.

- Flammability (solid, gas): Not applicable.

- Ignition temperature:

Decomposition temperature: Not determined.

- **Auto-ignition temperature:** Product is not selfigniting.

- **Explosive properties:** Product does not present an explosion hazard.

- Explosion limits:

Lower:
Upper:
Not determined.
Not determined.

- Density at 20 °C:
1.4 g/cm³

Relative density
 Vapour density
 Evaporation rate
 Not determined.
 Not determined.
 Not determined.

- Solubility in / Miscibility with

water: Not miscible or difficult to mix.

- Partition coefficient: n-octanol/water: Not determined.

- Viscosity:

Dynamic at 20 °C: 5000 mPas Kinematic: Not determined

- Solvent content:

VOC (EC) 2.45

9.2 Other information
 No further relevant information available.

EN



according to 1907/2006/EC, Article 31

Printing date 22.06.2017 Version number 2 Revision: 22.06.2017

Trade name: KEMPERDUR Deko 2K (A)

(Contd. of page 3)

SECTION 10: Stability and reactivity

No further relevant information available. - 10.1 Reactivity

- 10.2 Chemical stability

- Thermal decomposition / conditions to be

avoided:

- 10.3 Possibility of hazardous reactions

- 10.4 Conditions to avoid

- 10.5 Incompatible materials: - 10.6 Hazardous decomposition products: No decomposition if used according to specifications.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

No dangerous reactions known.

No further relevant information available. No further relevant information available.

No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects

- Acute toxicity Based on available data, the classification criteria are not met.

- Primary irritant effect:

 Skin corrosion/irritation Based on available data, the classification criteria are not met. - Serious eye damage/irritation Based on available data, the classification criteria are not met. - Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

- Germ cell mutagenicity Based on available data, the classification criteria are not met. - Carcinogenicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Reproductive toxicity - STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

- Aquatic toxicity: No further relevant information available. - 12.2 Persistence and degradability No further relevant information available. - 12.3 Bioaccumulative potential No further relevant information available. - 12.4 Mobility in soil No further relevant information available.

- Additional ecological information:

General notes:

- 12.5 Results of PBT and vPvB assessment

- PBT: Not applicable. - vPvR Not applicable.

- 12.6 Other adverse effects No further relevant information available

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods

- Recommendation Smaller quantities can be disposed of with household waste.

- European waste catalogue

08 04 09* waste adhesives and sealants containing organic solvents or other hazardous substances

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Uncleaned packaging:

- Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

- 14.1 UN-Number

- ADR, ADN, IMDG, IATA Void

- 14.2 UN proper shipping name

- ADR, ADN, IMDG, IATA Void

- 14.3 Transport hazard class(es)

- ADR, ADN, IMDG, IATA

Void - Class

- 14.4 Packing group

- ADR. IMDG. IATA Void

(Contd. on page 5)



according to 1907/2006/EC, Article 31

Printing date 22.06.2017 Version number 2 Revision: 22.06.2017

Trade name: KEMPERDUR Deko 2K (A)

(Contd. of page 4) - 14.5 Environmental hazards: - Marine pollutant: No - 14.6 Special precautions for user Not applicable. - 14.7 Transport in bulk according to Annex II of Marpol and the IBC Not applicable. - UN "Model Regulation": Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Directive 2012/18/EU

- Named dangerous substances - ANNEX I

- REGULATION (EC) No 1907/2006 ANNEX

XVII

- 15.2 Chemical safety assessment:

None of the ingredients is listed.

Conditions of restriction: 20 A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: research & development - Contact: research & development

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International - Abbreviations and acronyms:

Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

- Sources Internet:

- www.echa.com

- www.baua.de

- www.gestis.itrust.de (IFA: Institute für Occupational Safety and

Health of the German Social Accident Insurance)

- * Data compared to the previous version altered.