

according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.02.2025 Version number 9 (replaces version 8) Revision: 13.02.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier

- Trade name: KEMPERDUR EP-Finish stone grey

- **UFI**: 6DN8-C0E0-400S-N4R5

- 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified use: intended for professional use only!

Application of the substance / the mixture
 Sealing
 1.3 Details of the supplier of the safety data sheet

- Manufacturer/Supplier: KEMPER SYSTEM GmbH

Holländische Strasse 32-36 34246 Vellmar

Deutschland / Germany Telefon: +49 (0)561 / 8295-0

Telefon: +49 (0)361 / 6293-0
Telefax: +49 (0)561 / 8295-5110
E-Mail: MSDS@KEMPER-SYSTEM.COM

- Further information obtainable from: research & development

- **1.4 Emergency telephone number:** Medical Emergency information in case of poisoning:

Poison Information Center Mainz - 24 h - Phone: +49 (0) 6131 19240

(advisory service in German or English language)

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture

- Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Repr. 1B H360F May damage fertility.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- 2.2 Label elements

- Labelling according to Regulation (EC) No

1272/2008
- Hazard pictograms

1272/2008 The product is classified and labelled according to the CLP regulation.





GHS07 Danger

7 GHS08

GHS09

- Signal word

- Hazard-determining components of

labelling:

bis[4-(2,3-epoxypropoxy)phenyl]propane

oxirane, mono[(C12-14-alkyloxy)methyl] derivs

 $Reaction \ mass \ of \ 2,2'-[methylenebis(2,1-phenyleneoxymethylene)] bis(oxirane) \ and \ 2,2'-[methylenebis(4,1-phenyleneoxymethylene)] bis(oxirane) \ and \ 2-(\{2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy\}methyl) oxirane$

Oligomerisation and alkylation reaction products of 2-phenylpropene and phenol

- Hazard statements H315 Causes skin irritation.

H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.

H360F May damage fertility.

H411 Toxic to aquatic life with long lasting effects.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

EUH205 Contains epoxy constituents. May produce an allergic reaction.

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or

mist.

- 2.3 Other hazards

- Additional information:

- Precautionary statements

- Results of PBT and vPvB assessment

- **PBT**: Not applicable.

(Contd. on page 2)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.02.2025 Version number 9 (replaces version 8) Revision: 13.02.2025

Trade name: KEMPERDUR EP-Finish stone grey

- vPvB: (Contd. of page 1)
Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures

- **Description:** Mixture: consisting of the following components.

- Dangerous components:		
CAS: 1675-54-3	bis[4-(2,3-epoxypropoxy)phenyl]propane	25-50%
EINECS: 216-823-5	Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317 Specific concentration limits: Eye Irrit. 2; H319: C ≥ 5 %	
	Skin Irrit. 2; H315: C ≥ 5 %	
EC number: 701-263-0	Reaction mass of 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]bis(oxirane) and 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane) and 2-{{2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy}methyl)oxirane Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1, H317	≥12.5-<25%
CAS: 68609-97-2	oxirane, mono[(C12-14-alkyloxy)methyl] derivs	10-12.5%
EINECS: 271-846-8	Repr. 1B, H360F; Skin Irrit. 2, H315; Skin Sens. 1, H317	
EC number: 700-960-7	Oligomerisation and alkylation reaction products of 2-phenylpropene and phenol	≥2.5-<10%
	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Aquatic Chronic 3, H412	
CVIIC		

- SVHC

Oligomerisation and alkylation reaction products of 2-phenylpropene and phenol

Additional information:
 For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures

General information: Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48

hours after the accident.

Do not leave affected persons unattended. Personal protection for the First Aider.

Take affected persons out of danger area and lay down.

- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

After skin contact: Immediately wash with water and soap and rinse thoroughly.
 Seek medical treatment in case of complaints.

- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

Protect unharmed eye.

- After swallowing: If symptoms persist consult doctor.

- 4.2 Most important symptoms and effects,

both acute and delayed

- 4.3 Indication of any immediate medical

attention and special treatment needed

No further relevant information available.

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media

- **Suitable extinguishing agents:** CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

- For safety reasons unsuitable extinguishing

agents:

- 5.2 Special hazards arising from the

substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Nitrogen oxides (NOx) Carbon monoxide (CO)

Water with full jet

- 5.3 Advice for firefighters

- Protective equipment: Do not inhale explosion gases or combustion gases.

- Additional information Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

(Contd. on page 3)

(Contd. of page 2)



Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.02.2025 Version number 9 (replaces version 8) Revision: 13.02.2025

Trade name: KEMPERDUR EP-Finish stone grey

Inform respective authorities in case of seepage into water course or sewage system.

Prevent from spreading (e.g. by damming-in or oil barriers).

Do not allow to enter sewers/ surface or ground water.

- 6.3 Methods and material for containment

- 6.2 Environmental precautions:

- 6.4 Reference to other sections

and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Store in cool, dry place in tightly closed receptacles.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- 7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

- Information about storage in one common

storage facility:

- Further information about storage

conditions:

Store only in the original receptacle.

Store away from foodstuffs.

Protect from frost. Store in dry conditions.

Keep container tightly sealed. Recommended storage temperature: 5-30 °C

- Storage class:

- 7.3 Specific end use(s)

No further relevant information available.

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters

- Ingredients with limit values that require monitoring at the workplace:

- DNELs

1675-54-3 bis[4-(2,3-epoxypropoxy)phenyl]propane

Inhalative Acute - systemic effects 12.25 mg/m³ (employer) (GESTIS DNEL List (June 2018))

68609-97-2 oxirane, mono[(C12-14-alkyloxy)methyl] derivs

Inhalative Acute - systemic effects 3.6 mg/m³ (employer) (GESTIS DNEL List (June 2018))

- 8.2 Exposure controls

- Appropriate engineering controls No further data; see section 7.

- Individual protection measures, such as personal protective equipment

- General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

Avoid contact with the eves and skin.

- Respiratory protection: When used properly and under normal conditions, breathing protection is not required.

Use suitable respiratory protective device in case of insufficient ventilation.

Filter A/P2

Respiratory protection - Gas filters and combination filters according to (EN 14387)

- Hand protection



Protective gloves

Check protective gloves prior to each use for their proper condition. Only use chemical-protective gloves with CE-labelling of category III.

The glove material has to be impermeable and resistant to the product/ the substance/ the

preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and

the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics.

- Material of gloves Recommended materials:

Butyl rubber, BR

(Contd. on page 4)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.02.2025 Version number 9 (replaces version 8) Revision: 13.02.2025

Trade name: KEMPERDUR EP-Finish stone grey

(Contd. of page 3)

Recommended thickness of the material: ≥ 0.5 mm

Penetration time (min.): < 480

The selection of the suitable gloves does not only depend on the material, but also on further marks of

quality and varies from manufacturer to manufacturer.

- Penetration time of glove material The determined penetration times according to EN 16523-1:2015 are not performed under practical

conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is

recommended. - As protection from splashes gloves made of

the following materials are suitable:

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.1 mm

Penetration time (min.): < 10

- Eye/face protection

Tightly sealed goggles

Protective goggles and facial protection - Classification according to EN 166

Not miscible or difficult to mix.

- Body protection: Protective work clothing protective clothing (EN 13034)

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties

- General Information

- Colour: According to product specification

- Odour: Characteristic - Odour threshold: Not determined.

- Melting point/freezing point: Undetermined

- Boiling point or initial boiling point and boiling range 200 °C

- Flammability Not applicable.

- Lower and upper explosion limit

- Lower: Not determined.

- Upper: Not determined. 101 °C - Flash point:

- Decomposition temperature: Not determined.

- pH Not determined.

- Viscosity:

- Kinematic viscosity at 20 °C 13.000 mm²/s - Dynamic: Not determined.

- Solubility

- water:

- Partition coefficient n-octanol/water (log value) Not determined.

Density and/or relative densityDensity at 20 °C:

1.47 g/cm3 - Relative density Not determined. - Vapour density Not determined

- 9.2 Other information

- Appearance:

- Important information on protection of health and environment, and on

safety.

Ignition temperature: Product is not selfigniting.

- Explosive properties: Product does not present an explosion hazard.

- Solvent separation test:

2.90 % - VOC (EC)

- Change in condition

- Evaporation rate Not determined.

- Information with regard to physical hazard classes

- Explosives Void - Flammable gases Void - Aerosols Void

Void - Oxidising gases - Gases under pressure Void

- Flammable liquids Void - Flammable solids Void

(Contd. on page 5)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.02.2025 Version number 9 (replaces version 8) Revision: 13.02.2025

Trade name: KEMPERDUR EP-Finish stone grey

(Contd. of page 4) - Self-reactive substances and mixtures Void - Pyrophoric liquids Void - Pyrophoric solids Void - Self-heating substances and mixtures Void - Substances and mixtures, which emit flammable gases in contact with Void water Oxidising liquids Void - Oxidising solids Void Void Organic peroxides Corrosive to metals Void - Desensitised explosives Void

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability

- Thermal decomposition / conditions to be

avoided:

- 10.3 Possibility of hazardous reactions

- 10.4 Conditions to avoid

- 10.5 Incompatible materials: - 10.6 Hazardous decomposition products:

No decomposition if used according to specifications. No dangerous reactions known.

No further relevant information available. No further relevant information available. No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- Acute toxicity Based on available data, the classification criteria are not met.

	<u> </u>					
- LD/LC50	- LD/LC50 values relevant for classification:					
1675-54-	1675-54-3 bis[4-(2,3-epoxypropoxy)phenyl]propane					
Oral	LD50	>2,000 mg/kg (rat) (OECD Guideline 401 (Acute Oral Toxicity))				
Dermal	LD50	>2,000 mg/kg (rat) (OECD Guideline 402 (Acute Dermal Toxicity))				
		>3,450 mg/kg (rabbit) (OECD Guideline 402 (Acute Dermal Toxicity))				
		,2'-[methylenebis(2,1-phenyleneoxymethylene)]bis(oxirane) and 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane)				
and 2-({2	?-[4-(oxiran	-2-ylmethoxy)benzyl]phenoxy}methyl)oxirane				
Oral	LD50	>5,000 mg/kg (rat)				
Dermal	LD50	>2,000 mg/kg (rat)				
68609-97	-2 oxirane	mono[(C12-14-alkyloxy)methyl] derivs				
Oral	LD50	19,200 mg/kg (rat)				
Dermal	LD50	>4,500 mg/kg (rabbit)				
Oligome	risation an	d alkylation reaction products of 2-phenylpropene and phenol				
Oral	LD50	>2,000 mg/kg (rat) (OECD-guidline 423)				
Dermal	LD50	>2,000 mg/kg (rat) (OECD Guideline 402 (Acute Dermal Toxicity))				
Inhalative	L C50/4 h	>4.92 mg/l (rat) (OECD Guideline 403 (Acute Inhalation Toxicity))				

- Primary irritant effect:

- Skin corrosion/irritation Causes skin irritation. - Serious eye damage/irritation Causes serious eye irritation. - Respiratory or skin sensitisation May cause an allergic skin reaction.

- Germ cell mutagenicity Based on available data, the classification criteria are not met. - Carcinogenicity Based on available data, the classification criteria are not met.

- Reproductive toxicity May damage fertility.

Based on available data, the classification criteria are not met. - STOT-single exposure Based on available data, the classification criteria are not met. - STOT-repeated exposure - Aspiration hazard Based on available data, the classification criteria are not met.

- Additional toxicological information:

- CMR effects (carcinogenity, mutagenicity

and toxicity for reproduction)

Repr. 1B

(Contd. on page 6)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.02.2025 Version number 9 (replaces version 8) Revision: 13.02.2025

Trade name: KEMPERDUR EP-Finish stone grey

- 11.2 Information on other hazards	(Contd. of page 5)
- Endocrine disrupting properties	
128-37-0 2,6-di-tert-butyl-p-cresol	List II

SECTION 12: Ecological information

- 12.1 Toxicity

	-				
- Aquatic to	- Aquatic toxicity:				
	1675-54-3 bis[4-(2,3-epoxypropoxy)phenyl]propane				
NOEC 72h	4.2 mg/l (microalga)				
ErC50	>11 mg/l (green alga) (72h)				
LC50/96 h	1.5 mg/l (rainbow trout)				
EC50	1.8 mg/l (Daphnia magna) (48 h)				
NOEC	0.3 mg/l (Daphnia magna)				
	Reaction mass of 2,2'-[methylenebis(2,1-phenyleneoxymethylene)]bis(oxirane) and 2,2'-[methylenebis(4,1-phenyleneoxymethylene)]bis(oxirane)				
	and 2-({2-[4-(oxiran-2-ylmethoxy)benzyl]phenoxy}methyl)oxirane				
EC50	1.8 mg/l (alga) (72h)				
EC50	2.55 mg/l (Daphnia magna) (48h)				
EC50	2.54 mg/l (fish type) (96h)				
68609-97-2	? oxirane, mono[(C12-14-alkyloxy)methyl] derivs				
EbC50	843 mg/l (Pseudokirchneriella subcapitata)				
LC50/96 h	1,800 mg/l (LEPOMUS MACROCHIRUS)				
	>5,000 mg/l (Oncorhynchus mykiss (Regenbogenforelle))				
NOEC	500 mg/l (Pseudokirchneriella subcapitata) (NOEC (72 hr))				
Oligomeris	sation and alkylation reaction products of 2-phenylpropene and phenol				
EC50	15 mg/l (DESMODESMUS SUBSPICATUS) (OECD 201)				
!	17 mg/l (Daphnia magna) (OECD 202 (48 hr))				
!	25.8 mg/l (zebrafish) (OECD 203 (96 hr))				

- 12.2 Persistence and degradability - 12.3 Bioaccumulative potential

No further relevant information available. No further relevant information available. No further relevant information available.

- 12.4 Mobility in soil

- 12.5 Results of PBT and vPvB assessment

- PBT: Not applicable. Not applicable.

- 12.6 Endocrine disrupting properties

Toxic for fish

- 12.7 Other adverse effects

For information on endocrine disrupting properties see section 11.

- Remark:

- Additional ecological information:

- General notes:

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods

Must not be disposed together with household garbage. Do not allow product to reach sewage system. - Recommendation Disposal according to official regulations

- European waste catalogue		
08 04 09*	04 09* waste adhesives and sealants containing organic solvents or other hazardous substances	
15 01 10*	5 01 10* packaging containing residues of or contaminated by hazardous substances	
17 02 03	plastic	

- Uncleaned packaging:

- Recommendation: Disposal must be made according to official regulations.

(Contd. on page 7)



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.02.2025 Version number 9 (replaces version 8) Revision: 13.02.2025

Trade name: KEMPERDUR EP-Finish stone grey

(Contd. of page 6)

	(Contd. of pag
SECTION 14: Transport information	
·	
· 14.1 UN number or ID number · ADR, IMDG, IATA	UN3082
	511000E
14.2 UN proper shipping name ADR	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight 700), Bisphenol F epichlorohydrin resin MW <700)
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700), Bisphenol F epichlorohydrin resin MW <700), MARINE POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction production)
TATA	bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700), Bisphenol F epichlorohydrin resin MW <700)
14.3 Transport hazard class(es)	
ADR	
1 1 1 2 2 2 3 3 3 3 3 3 3 3 3 3	
Class	9 (M6) Miscellaneous dangerous substances and articles.
LADO	9
IMDG, IATA	
Class	9 Miscellaneous dangerous substances and articles.
Label	9
14.4 Packing group ADR, IMDG, IATA	III
14.5 Environmental hazards:	Product contains environmentally hazardous substances: reaction product: bisphenol (epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)
Marine pollutant:	Yes Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
Special marking (IATA):	Symbol (fish and tree)
14.6 Special precautions for user	Warning: Miscellaneous dangerous substances and articles.
Hazard identification number (Kemler code):	90
EMS Number:	F-A,S-F
Stowage Category 14.7 Maritime transport in bulk according to IMO inst	A rumante Not applicable
	типтетть тург аррпсаріе.
Transport/Additional information: ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
Transport category	waximum het quantity per outer packaging. 1000 mil
Tunnel restriction code	(-)
IMDG	-
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
	INICANTUULI DEL UUGUNIV DEL UUIEL DAGAAUNU TUUU III





according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.02.2025 Version number 9 (replaces version 8) Revision: 13.02.2025

Trade name: KEMPERDUR EP-Finish stone grey

(Contd. of page 7)

UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (REACTION PRODUCT: BISPHENOL-A-(EPICHLORHYDRIN) EPOXY RESIN

(NUMBER AVERAGE MOLECULAR WEIGHT ≤ 700), BISPHÉNOL F

EPICHLOROHYDRIN RESIN MW <700), 9, III

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Directive 2012/18/EU

- UN "Model Regulation":

- Named dangerous substances - ANNEX I None of the ingredients is listed.

- Seveso category - Qualifying quantity (tonnes) for the

application of lower-tier requirements Qualifying quantity (tonnes) for the

200 t

application of upper-tier requirements

500 t

REGULATION (EC) No 1907/2006 ANNEX

XVII Conditions of restriction: 3

- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II

E2 Hazardous to the Aquatic Environment

None of the ingredients is listed.

- REGULATION (EU) 2019/1148

- Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

- Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

- Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- National regulations:

- Other regulations, limitations and prohibitive regulations

- Substances of very high concern (SVHC) according to REACH, Article 57

Oligomerisation and alkylation reaction products of 2-phenylpropene and phenol

- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

The safety data sheet issued is also compliant with the regulation Annex I of Regulation (EU) no. 453/2010 and Annex II of Regulation (EU) no. 2020/878.

- Relevant phrases H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H360F May damage fertility.

H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

- Department issuing SDS: research & development - Contact: research & development

- Date of previous version: 19.05.2021

Version number of previous version:

- Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative

(Contd. on page 9)





according to Regulation (EC) No 1907/2006, Article 31

Version number 9 (replaces version 8) Printing date 13.02.2025 Revision: 13.02.2025

Trade name: KEMPERDUR EP-Finish stone grey

(Contd. of page 8)

Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1
Skin Sens. 1B: Skin sensitisation – Category 1B
Repr. 1B: Reproductive toxicity – Category 1B
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

- * Data compared to the previous version altered.