

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 20.12.2021

Version number 5 (replaces version 4)

Revision: 20.12.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
 - Trade name: **KEMPERDUR HB Coating (C)**
 - 1.2 Relevant identified uses of the substance or mixture and uses advised against
 - Application of the substance / the mixture
 - 1.3 Details of the supplier of the safety data sheet
 - Manufacturer/Supplier:
 - Further information obtainable from:
 - 1.4 Emergency telephone number:
- Identified use: intended for professional use only!
Additional component
Filler/ Extender
- KEMPER SYSTEM GmbH & Co. KG
Holländische Strasse 32-36
34246 Vellmar
Deutschland / Germany
Telefon: +49 (0)561 / 8295-0
Telefax: +49 (0)561 / 8295-5110
E-Mail: MSDS@KEMPER-SYSTEM.COM
- research & development
Giftinformationszentrum der Länder Rheinland-Pfalz und Hessen
Langenbeckstraße 1; Gebäude 601; 55131 Mainz
Tel. Nr.: +49 (0)6131 / 19 24 0
Universitätsmedizin der Johannes Gutenberg-Universität Mainz

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
 - Classification according to Regulation (EC) No 1272/2008
 - 2.2 Label elements
 - Labelling according to Regulation (EC) No 1272/2008
 - Hazard pictograms
 - Signal word
 - Hazard statements
 - 2.3 Other hazards
 - Results of PBT and vPvB assessment
 - PBT:
 - vPvB:
- The product is not classified, according to the CLP regulation.
- Void
Void
Void
Void
- Not applicable.
Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures
 - Description:
- Mixture: consisting of the following components.

Dangerous components:

CAS: 14808-60-7 EINECS: 238-878-4	Quartz (SiO ₂)	substance with a Community workplace exposure limit	50-100%
CAS: 14808-60-7 EINECS: 238-878-4	Quartz (alveolar)	STOT RE 1, H372	0.5-2.5%

- Additional information:
- For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
 - General information:
 - After inhalation:
 - After skin contact:
 - After eye contact:
 - After swallowing:
- Immediately remove any clothing soiled by the product.
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
Do not leave affected persons unattended.
Personal protection for the First Aider.
Take affected persons out of danger area and lay down.
In case of unconsciousness place patient stably in side position for transportation.
Supply fresh air; consult doctor in case of complaints.
Immediately wash with water and soap and rinse thoroughly.
Seek medical treatment in case of complaints.
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
Protect unharmed eye.
If symptoms persist consult doctor.

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 20.12.2021

Version number 5 (replaces version 4)

Revision: 20.12.2021

Trade name: **KEMPERDUR HB Coating (C)**

(Contd. of page 1)

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **5.2 Special hazards arising from the substance or mixture** Formation of toxic gases is possible during heating or in case of fire.
Nitrogen oxides (NO_x)
Carbon monoxide (CO)
- **5.3 Advice for firefighters**
- **Protective equipment:** Do not inhale explosion gases or combustion gases.
- **Additional information** Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Wear protective clothing.
Ensure adequate ventilation
Avoid contact with skin and eyes
- **6.2 Environmental precautions:** Do not allow product to reach sewage system or any water course.
- **6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Do not flush with water or aqueous cleansing agents
- **6.4 Reference to other sections** See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Store in cool, dry place in tightly closed receptacles.
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about fire - and explosion protection:** Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:** Protect from frost.
Keep container tightly sealed.
Store in dry conditions.
Recommended storage temperature: 5-30 °C
- **Storage class:** 11
- **7.3 Specific end use(s)** No further relevant information available.

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 20.12.2021

Version number 5 (replaces version 4)

Revision: 20.12.2021

Trade name: **KEMPERDUR HB Coating (C)**

(Contd. of page 2)

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters

- Ingredients with limit values that require monitoring at the workplace:

14808-60-7 Quartz (SiO₂)

OEL | Long-term value: 0.1 mg/m³

14808-60-7 Quartz (alveolar)

OEL | Long-term value: 0.1 mg/m³

- Regulatory information

OEL: 2020 CoP for the Safety, Health and Welfare at Work

- Additional information:

The lists valid during the making were used as basis.

- 8.2 Exposure controls

- Appropriate engineering controls

No further data; see item 7.

- Individual protection measures, such as personal protective equipment

- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- Respiratory protection:

When used properly and under normal conditions, breathing protection is not required.

Use suitable respiratory protective device in case of insufficient ventilation.

Filter A/P2

Respiratory protection - Gas filters and combination filters according to (DIN EN 141)

- Hand protection



Protective gloves

Check protective gloves prior to each use for their proper condition.

Only use chemical-protective gloves with CE-labelling of category III.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics.

- Material of gloves

Recommended materials:

Butyl rubber, BR

Recommended thickness of the material: ≥ 0.5 mm

Penetration time (min.): < 480

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

- Penetration time of glove material

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

- As protection from splashes gloves made of the following materials are suitable:

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.1 mm

Penetration time (min.): < 10

- Eye/face protection



Tightly sealed goggles

- Body protection:

Protective goggles and facial protection - Classification according to EN 166 protective clothing (EN 13034)

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties

- General Information

- Colour:

White

- Odour:

Odourless

- Odour threshold:

Not determined.

- Melting point/freezing point:

>1,600 °C

- Boiling point or initial boiling point and boiling range

2,230 °C

- Flammability

Not determined.

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 20.12.2021

Version number 5 (replaces version 4)

Revision: 20.12.2021

Trade name: **KEMPERDUR HB Coating (C)**

(Contd. of page 3)

- Lower and upper explosion limit	
- Lower:	Not determined.
- Upper:	Not determined.
- Flash point:	Not applicable.
- Auto-ignition temperature:	Product is not selfigniting.
- Decomposition temperature:	Not determined.
- pH at 20 °C	7
- Viscosity:	
- Kinematic viscosity	Not applicable.
- Dynamic:	Not applicable.
- Solubility	
- water:	Insoluble.
- Partition coefficient n-octanol/water (log value)	Not determined.
- Density and/or relative density	
- Density at 20 °C:	2.65 g/cm ³
- Relative density	Not determined.
- Bulk density:	1,400 kg/m ³
- Vapour density	Not applicable.
- Particle characteristics	See item 3.

- 9.2 Other information	
- Appearance:	
- Form:	Solid
- Important information on protection of health and environment, and on safety.	
- Explosive properties:	Product does not present an explosion hazard.
- Change in condition	
- Evaporation rate	Not applicable.

- Information with regard to physical hazard classes	
- Explosives	Void
- Flammable gases	Void
- Aerosols	Void
- Oxidising gases	Void
- Gases under pressure	Void
- Flammable liquids	Void
- Flammable solids	Void
- Self-reactive substances and mixtures	Void
- Pyrophoric liquids	Void
- Pyrophoric solids	Void
- Self-heating substances and mixtures	Void
- Substances and mixtures, which emit flammable gases in contact with water	Void
- Oxidising liquids	Void
- Oxidising solids	Void

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 20.12.2021

Version number 5 (replaces version 4)

Revision: 20.12.2021

Trade name: **KEMPERDUR HB Coating (C)**

(Contd. of page 4)

- | | |
|---------------------------|------|
| - Organic peroxides | Void |
| - Corrosive to metals | Void |
| - Desensitised explosives | Void |

SECTION 10: Stability and reactivity

- | | |
|---|---|
| - 10.1 Reactivity | No further relevant information available. |
| - 10.2 Chemical stability | |
| - Thermal decomposition / conditions to be avoided: | No decomposition if used according to specifications. |
| - 10.3 Possibility of hazardous reactions | No dangerous reactions known. |
| - 10.4 Conditions to avoid | No further relevant information available. |
| - 10.5 Incompatible materials: | No further relevant information available. |
| - 10.6 Hazardous decomposition products: | No dangerous decomposition products known. |

SECTION 11: Toxicological information

- | | |
|---|---|
| - 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 | |
| - Acute toxicity | Based on available data, the classification criteria are not met. |
| - Skin corrosion/irritation | Based on available data, the classification criteria are not met. |
| - Serious eye damage/irritation | Based on available data, the classification criteria are not met. |
| - Respiratory or skin sensitisation | Based on available data, the classification criteria are not met. |
| - Germ cell mutagenicity | Based on available data, the classification criteria are not met. |
| - Carcinogenicity | Based on available data, the classification criteria are not met. |
| - Reproductive toxicity | Based on available data, the classification criteria are not met. |
| - STOT-single exposure | Based on available data, the classification criteria are not met. |
| - STOT-repeated exposure | Based on available data, the classification criteria are not met. |
| - Aspiration hazard | Based on available data, the classification criteria are not met. |
| - 11.2 Information on other hazards | |

- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- | | |
|---|---|
| - 12.1 Toxicity | |
| - Aquatic toxicity: | No further relevant information available. |
| - 12.2 Persistence and degradability | No further relevant information available. |
| - 12.3 Bioaccumulative potential | No further relevant information available. |
| - 12.4 Mobility in soil | No further relevant information available. |
| - 12.5 Results of PBT and vPvB assessment | |
| - PBT: | Not applicable. |
| - vPvB: | Not applicable. |
| - 12.6 Endocrine disrupting properties | The product does not contain substances with endocrine disrupting properties. |
| - 12.7 Other adverse effects | No further relevant information available. |
| - Additional ecological information: | |
| - General notes: | Not hazardous for water. |

SECTION 13: Disposal considerations

- | | |
|--------------------------------|--|
| - 13.1 Waste treatment methods | |
| - Recommendation | Must not be disposed together with household garbage. Do not allow product to reach sewage system.
Disposal according to official regulations |

- European waste catalogue

08 04 09*	waste adhesives and sealants containing organic solvents or other hazardous substances
15 01 10*	packaging containing residues of or contaminated by hazardous substances
17 02 03	plastic

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 20.12.2021

Version number 5 (replaces version 4)

Revision: 20.12.2021

Trade name: **KEMPERDUR HB Coating (C)**

(Contd. of page 5)

- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

- | | |
|--|-----------------|
| - 14.1 UN number or ID number
- ADR, ADN, IMDG, IATA | Void |
| - 14.2 UN proper shipping name
- ADR, ADN, IMDG, IATA | Void |
| - 14.3 Transport hazard class(es)
- ADR, ADN, IMDG, IATA
- Class | Void |
| - 14.4 Packing group
- ADR, IMDG, IATA | Void |
| - 14.5 Environmental hazards:
- Marine pollutant: | No |
| - 14.6 Special precautions for user | Not applicable. |
| - 14.7 Maritime transport in bulk according to IMO instruments | Not applicable. |
| - UN "Model Regulation": | Void |

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- Named dangerous substances - ANNEX I None of the ingredients is listed.
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II
None of the ingredients is listed.
- REGULATION (EU) 2019/1148
- Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))
None of the ingredients is listed.
- Annex II - REPORTABLE EXPLOSIVES PRECURSORS
None of the ingredients is listed.
- Regulation (EC) No 273/2004 on drug precursors
None of the ingredients is listed.
- Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors
None of the ingredients is listed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

The safety data sheet issued is also compliant with the regulation Annex I of Regulation (EU) no. 453/2010 and Annex II of Regulation (EU) no. 2020/878.

- Relevant phrases H372 Causes damage to organs through prolonged or repeated exposure.
- Department issuing SDS: research & development
- Contact: research & development
- Date of previous version: 14.07.2021
- Version number of previous version: 4
- Abbreviations and acronyms:
 - ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 - IMDG: International Maritime Code for Dangerous Goods
 - IATA: International Air Transport Association
 - GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 - EINECS: European Inventory of Existing Commercial Chemical Substances
 - ELINCS: European List of Notified Chemical Substances
 - CAS: Chemical Abstracts Service (division of the American Chemical Society)
 - PBT: Persistent, Bioaccumulative and Toxic
 - vPvB: very Persistent and very Bioaccumulative
 - STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 20.12.2021

Version number 5 (replaces version 4)

Revision: 20.12.2021

Trade name: **KEMPERDUR HB Coating (C)**

- Sources

- www.echa.europa.eu

- www.baua.de

IFA: Institute für Occupational Safety and Health of the German Social Accident Insurance:

- www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index.jsp

- www.dguv.de/ifa/gestis/gestis-dnel-liste

- * Data compared to the previous version altered.

(Contd. of page 6)

IE