

according to 1907/2006/EC, Article 31

Version number 12 (replaces version 11) Printing date 01.04.2022 Revision: 01.04.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier

KEMPEROL 2K-PUR (B) - Trade name: 0K37-E0XV-J004-6057 - UFI:

- 1.2 Relevant identified uses of the substance or mixture and uses advised

Identified use: intended for professional use only!

against - Application of the substance / the mixture

- 1.3 Details of the supplier of the safety data sheet KEMPER SYSTEM GmbH & Co. KG - Manufacturer/Supplier:

Holländische Strasse 32-36

34246 Vellmar

Deutschland / Germany Telefon: +49 (0)561 / 8295-0 Telefax: +49 (0)561 / 8295-5110 E-Mail: MSDS@KEMPER-SYSTEM.COM

- Further information obtainable from: research & development

Giftinformationszentrum der Länder Rheinland-Pfalz und Hessen - 1.4 Emergency telephone number:

Langenbeckstraße 1; Gebäude 601; 55131 Mainz

Tel. Nr.: +49 (0)6131 / 19 24 0

Universitätsmedizin der Johannes Gutenberg-Universität Mainz

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture

- Classification according to Regulation (EC) No 1272/2008

Acute Tox. 4 H332 Harmful if inhaled Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation.

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction. Skin Sens. 1 Carc. 2 H351 Suspected of causing cancer. STOT SE 3 H335 May cause respiratory irritation.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms

- Hazard statements

The product is classified and labelled according to the CLP regulation.





GHS07 Danger

- Signal word

- Hazard-determining components of

labelling:

Isocyanic acid, polymethylenepolyphenylene ester

Reaction mass of 4,4'-methylenediphenyl diisocyanate and o-(p-isocyanatobenzyl)phenyl isocyanate

4,4'-methylenediphenyl diisocyanate

H332 Harmful if inhaled. H315 Causes skin irritation.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction. H351 Suspected of causing cancer. H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

- Precautionary statements Do not breathe dust/fume/gas/mist/vapours/spray. P260

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection

P284 [In case of inadequate ventilation] wear respiratory protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- Additional information: EUH204 Contains isocyanates. May produce an allergic reaction.

As from 24 August 2023 adequate training is required before industrial or professional use.

(Contd. on page 2)



according to 1907/2006/EC, Article 31

Printing date 01.04.2022 Version number 12 (replaces version 11) Revision: 01.04.2022

Trade name: KEMPEROL 2K-PUR (B)

(Contd. of page 1)

- 2.3 Other hazards

- Results of PBT and vPvB assessment

- PBT: - vPvB: Not applicable. Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures

- Description: Mixture: consisting of the following components

Description.	wixture. consisting of the following components.		
- Dangerous components:			
EC number: 618-498-9	Isocyanic acid, polymethylenepolyphenylene ester Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	50-100%	
	Reaction mass of 4,4'-methylenediphenyl diisocyanate and o-(p-isocyanatobenzyl)phenyl isocyanate Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	≥12.5-<20%	
EINECS: 202-966-0	4,4'-methylenediphenyl diisocyanate Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SÉ 3, H335, EUH204 Specific concentration limits: Eye Irrit. 2; H319: C ≥ 5 % Skin Irrit. 2; H315: C ≥ 5 % Resp. Sens. 1; H334: C ≥ 0.1 % STOT SE 3; H335: C ≥ 5 %	≥5-<10%	
Additional information. For the wending of the listed bound absence refer to costion 10			

- Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48

hours after the accident.

Do not leave affected persons unattended.

Personal protection for the First Aider.

Take affected persons out of danger area and lay down.

In case of unconsciousness place patient stably in side position for transportation. - After inhalation:

Supply fresh air; consult doctor in case of complaints. Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment in case of complaints.

- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

Protect unharmed eye.

- After swallowing:

- After skin contact:

If symptoms persist consult doctor.

- 4.2 Most important symptoms and effects,

both acute and delayed

No further relevant information available.

- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media

- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

- For safety reasons unsuitable extinguishing

Water with full jet

- 5.2 Special hazards arising from the

substance or mixture Formation of toxic gases is possible during heating or in case of fire.

Nitrogen oxides (NOx) Carbon monoxide (CÓ)

- 5.3 Advice for firefighters

Do not inhale explosion gases or combustion gases. - Protective equipment:

- Additional information Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

(Contd. on page 3)





according to 1907/2006/EC, Article 31

Version number 12 (replaces version 11) Printing date 01.04.2022 Revision: 01.04.2022

Trade name: KEMPEROL 2K-PUR (B)

(Contd. of page 2)

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and emergency procedures

- 6.2 Environmental precautions:

- 6.4 Reference to other sections

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Avoid contact with skin and eyes

Inform respective authorities in case of seepage into water course or sewage system.

Prevent from spreading (e.g. by damming-in or oil barriers). Do not allow to enter sewers/ surface or ground water.

- 6.3 Methods and material for containment

and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Do not flush with water or aqueous cleansing agents See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling

Store in cool, dry place in tightly closed receptacles.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about fire - and explosion

protection:

Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

- 7.2 Conditions for safe storage, including any incompatibilities

- Requirements to be met by storerooms and

receptacles:

Store only in the original receptacle.

Information about storage in one common

storage facility:

Store away from foodstuffs.

- Further information about storage

conditions:

Recommended storage temperature: 5-30 °C

Protect from frost. Store in dry conditions. Keep container tightly sealed.

- Storage class:

- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters

- Ingredients with limit values that require monitoring at the workplace:

9016-87-9 Isocyanic acid, polymethylenepolyphenylene ester

OEL Short-term value: 0.07 mg/m³

Long-term value: 0.02 mg/m³

as -NCO; Sens.

101-68-8 4,4'-methylenediphenyl diisocyanate

OEL Long-term value: 0.005 ppm

as -NCO; Sens - Regulatory information

OEL: 2021 CoP for the Safety, Health and Welfare at Work

- DNELs

101-68-8 4,4'-methylenediphenyl diisocyanate

Inhalative Long term - systemic effects 0.05 mg/m³ (Worker) (GESTIS DNEL List (June 2018))

- 8.2 Exposure controls

- Appropriate engineering controls No further data: see item 7.

- Individual protection measures, such as personal protective equipment

- General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

When used properly and under normal conditions, breathing protection is not required. - Respiratory protection:

(Contd. on page 4)



according to 1907/2006/EC, Article 31

Printing date 01.04.2022 Version number 12 (replaces version 11) Revision: 01.04.2022

Trade name: KEMPEROL 2K-PUR (B)

(Contd. of page 3)

Use suitable respiratory protective device in case of insufficient ventilation.

Filter A/P2

Respiratory protection - Gas filters and combination filters according to (DIN EN 141)

- Hand protection



Protective gloves

Check protective gloves prior to each use for their proper condition. Only use chemical-protective gloves with CE-labelling of category III.

The glove material has to be impermeable and resistant to the product/ the substance/ the

preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and

the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics.

- Material of gloves Recommended materials:

Butyl rubber, BR

Recommended thickness of the material: ≥ 0.5 mm

Penetration time (min.): < 480

The selection of the suitable gloves does not only depend on the material, but also on further marks of

quality and varies from manufacturer to manufacturer.

- Penetration time of glove material The determined penetration times according to EN 16523-1:2015 are not performed under practical

conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is

recommended.

- As protection from splashes gloves made of

the following materials are suitable:

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.1 mm

Penetration time (min.): < 10

- Eye/face protection



Tightly sealed goggles

Protective goggles and facial protection - Classification according to EN 166

- Body protection: protective clothing (EN 13034)

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties

- General Information

- Colour: - Odour:

- Odour threshold: Not determined.

Undetermined. - Melting point/freezing point: - Boiling point or initial boiling point and boiling range Undetermined.

- Flammability

- Lower and upper explosion limit

- Lower:

- Upper:

- Flash point: - Decomposition temperature:

- pH

- Viscosity:

- Kinematic viscosity at 20 °C

- Dynamic: - Solubility

- water:

- Partition coefficient n-octanol/water (log value)

- Density and/or relative density

- Density at 20 °C: - Relative density - Vapour density

Not miscible or difficult to mix. Not determined.

200 mm²/s

220 °C

Brown slight musty

Not applicable.

Not determined

Not determined.

Not determined.

Not determined.

Not determined.

1.23 g/cm3 Not determined. Not determined.

- 9.2 Other information

- Appearance:

Fluid - Form:

(Contd. on page 5)





according to 1907/2006/EC, Article 31

Printing date 01.04.2022 Version number 12 (replaces version 11) Revision: 01.04.2022

Trade name: KEMPEROL 2K-PUR (B)

(Contd. of page 4) - Important information on protection of health and environment, and on safety. - Auto-ignition temperature: Product is not selfigniting. - Explosive properties: Product does not present an explosion hazard. - Solvent separation test: 3.50 % - VOC (EC) - Change in condition - Evaporation rate Not determined. - Information with regard to physical hazard classes - Explosives Void - Flammable gases Void - Aerosols Void - Oxidising gases Void - Gases under pressure Void - Flammable liquids Void - Flammable solids Void - Self-reactive substances and mixtures Void - Pyrophoric liquids Void - Pyrophoric solids Void - Self-heating substances and mixtures Void - Substances and mixtures, which emit flammable gases in contact with water Void - Oxidising liquids Void - Oxidising solids Void - Organic peroxides Void - Corrosive to metals Void - Desensitised explosives

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.

Void

- 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided:

avoided: No decomposition if used according to specifications.
 - 10.3 Possibility of hazardous reactions
 Reacts with alcohols, amines, aqueous acids and alkalis.
 Reacts with water.

Reacts with humid air. Exothermic reaction.

- 10.4 Conditions to avoid
 - 10.5 Incompatible materials:
 No further relevant information available.
 No further relevant information available.

(Contd. on page 6)

(Contd. of page 5)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 01.04.2022 Version number 12 (replaces version 11) Revision: 01.04.2022

Trade name: KEMPEROL 2K-PUR (B)

- 10.6 Hazardous decomposition products: Hydrocarbons

Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

SECTION 11: Toxicological information

- LD/LC50 values relevant for classification:

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Harmful if inhaled. - Acute toxicity

9016-87-9 Isocyanic acid, polymethylenepolyphenylene ester >10,000 mg/kg (rat) (OECD 401) Oral LD50 >9,400 mg/kg (rabbit) (OECD 402) Dermal Inhalative LC50/4 h 11 mg/l (ATE)

Reaction mass of 4,4'-methylenediphenyl diisocyanate and o-(p-isocyanatobenzyl)phenyl isocyanate

Oral LD50 >2,000 mg/kg (rat) Dermal LD50 >9,400 mg/kg (rat) (OECD 402)

Inhalative LC50/4 h 11 mg/l (ATE)

101-68-8 4,4'-methylenediphenyl diisocyanate

Oral LD50 >2,000 mg/kg (rat) (84/449/EWG, B.1) Dermal LD50 >9,400 mg/kg (rab) (OECD 402) Inhalative LC50/4 h 1.5 mg/l (ATE)

- Skin corrosion/irritation Causes skin irritation - Serious eye damage/irritation Causes serious eye irritation.

- Respiratory or skin sensitisation May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction. - Germ cell mutagenicity Based on available data, the classification criteria are not met.

- Carcinogenicity Suspected of causing cancer. - Reproductive toxicity Based on available data, the classification criteria are not met.

- STOT-single exposure May cause respiratory irritation.

- STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure. - Aspiration hazard Based on available data, the classification criteria are not met.

- Additional toxicological information:

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

- 11.2 Information on other hazards

- Endocrine disrupting properties None of the ingredients is listed.

Carc. 2

SECTION 12: Ecological information

- 12.1 TOXIC	- 12.1 Toxicity			
- Aquatic to	- Aquatic toxicity:			
9016-87-9 Isocyanic acid, polymethylenepolyphenylene ester				
LC50/96 h >1,000 mg/l (Brachydanio rerio (Zebrabärbling)) (OECD 203)				
EC50	>1,640 mg/l (DESMODESMUS SUBSPICATUS) (72h; OECD 201)			
EC50	>100 mg/l (Belebtschlamm) (3h; OECD 209)			
EC50	>1,000 mg/l (Daphnia magna) (24h; OECD 202)			
EC50	>1,000 mg/l (Eisenia fetida/foetida) (336h; OECD 207)			
NOEC	≥10 mg/l (Daphnia magna) (21d, OECD 211)			
Reaction mass of 4,4'-methylenediphenyl diisocyanate and o-(p-isocyanatobenzyl)phenyl isocyanate				
NOEC	≥10 mg/kg (Daphnia magna) (21d; OECD 211)			
LC50/96 h	>1,000 mg/l (Brachydanio rerio (Zebrabärbling)) (OECD 203)			
EC50	>1,000 mg/l (Eisenia fetida/foetida) (OECD 207)			
EC50	>1,640 mg/l (Scenedesmus subspicatus) (72h; OECD 201)			
EC50	>100 mg/l (Belebtschlamm) (3h; OECD 209)			
EC50	>1,000 mg/l (Daphnia magna) (24h; OECD 202)			
101-68-8 4	101-68-8 4,4'-methylenediphenyl diisocyanate			
NOEC	≥1,000 mg/kg (Eisenia fetida/foetida) (336h; OECD 207)			
	(Contd. on nogo 7)			

(Contd. on page 7)





according to 1907/2006/EC, Article 31

Printing date 01.04.2022 Version number 12 (replaces version 11) Revision: 01.04.2022

Trade name: KEMPEROL 2K-PUR (B)

(Contd. of page 6)

EC50 >1,000 mg/l (Daphnia magna) (24h; OECD 202) NOEC ≥10 mg/l (Daphnia magna) (21d; OECD 211)

- 12.2 Persistence and degradability No further relevant information available. - 12.3 Bioaccumulative potential No further relevant information available - 12.4 Mobility in soil No further relevant information available.

- 12.5 Results of PBT and vPvB assessment

- PBT: Not applicable. Not applicable. - vPvB:

- 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects

- Additional ecological information:

- General notes: Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods

- Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal according to official regulations

- European waste catalogue 08 05 01* waste isocyanates 15 01 10* packaging containing residues of or contaminated by hazardous substances 17 02 03 plastic

- Uncleaned packaging:

- Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

- 14.1 UN number or ID number	
- ADR, ADN, IMDG, IATA	Void

- 14.2 UN proper shipping name

- ADR, ADN, IMDG, IATA Void

- 14.3 Transport hazard class(es)

- ADR, ADN, IMDG, IATA

- Class Void

- 14.4 Packing group

- ADR, IMDG, IATA Void

- 14.5 Environmental hazards:

- Marine pollutant: No

- 14.6 Special precautions for user Not applicable.

- 14.7 Maritime transport in bulk according to IMO instruments Not applicable

- UN "Model Regulation": Void

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU

- Named dangerous substances - ANNEX I - REGULATION (EC) No 1907/2006 ANNEX

Conditions of restriction: 3, 56a, 74

- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II None of the ingredients is listed.

- REGULATION (EU) 2019/1148

- Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

None of the ingredients is listed.

(Contd. on page 8)





according to 1907/2006/EC, Article 31

Printing date 01.04.2022 Version number 12 (replaces version 11) Revision: 01.04.2022

Trade name: KEMPEROL 2K-PUR (B)

(Contd. of page 7)

- Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed

- Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- 15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

The safety data sheet issued is also compliant with the regulation Annex I of Regulation (EU) no. 453/2010 and Annex II of Regulation (EU) no. 2020/878.

- Relevant phrases H315 Causes skin irritation.

> H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation. H351 Suspected of causing cancer.

May cause damage to organs through prolonged or repeated exposure. H373

EUH204 Contains isocyanates. May produce an allergic reaction.

- Department issuing SDS: research & development research & development

- Date of previous version: 16.02.2022

- Version number of previous version:

- Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic

PVPUS very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Skill Illit. 2. Skill collosion/Illited 1 - Zeeggriy 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Resp. Sens. 1: Respiratory sensitisation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1

Carc. 2: Carcinogenicity – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

- Sources - www.echa.europa.eu

- www.baua.de

IFA: Institute für Occupational Safety and Health of the German Social Accident Insurance:

- www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index.jsp

- www.dguv.de/ifa/gestis/gestis-dnel-liste

- * Data compared to the previous version altered.