

according to 1907/2006/EC, Article 31

Version number 4 (replaces version 3) Printing date 21.01.2022 Revision: 21.01.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier

KEMPERTEC R-Primer (A) - Trade name: RUU6-V0U4-Y00K-N8QE - UFI:

- 1.2 Relevant identified uses of the

substance or mixture and uses advised against

Identified use: intended for professional use only!

- Application of the substance / the mixture - 1.3 Details of the supplier of the safety data sheet

KEMPER SYSTEM GmbH & Co. KG - Manufacturer/Supplier:

Holländische Strasse 32-36 34246 Vellmar Deutschland / Germany

Telefon: +49 (0)561 / 8295-0 Telefax: +49 (0)561 / 8295-5110 E-Mail: MSDS@KEMPER-SYSTEM.COM

- Further information obtainable from: research & development

Giftinformationszentrum der Länder Rheinland-Pfalz und Hessen - 1.4 Emergency telephone number:

Langenbeckstraße 1; Gebäude 601; 55131 Mainz

Tel. Nr.: +49 (0)6131 / 19 24 0

Universitätsmedizin der Johannes Gutenberg-Universität Mainz

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

- Hazard pictograms

The product is classified and labelled according to the CLP regulation.



- Signal word

Warning

- Hazard-determining components of

labelling:

- Hazard statements

H317 May cause an allergic skin reaction. - Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves.

P302+P352 IF ON SKIN: Wash with plenty of water.

P362+P364 Take off contaminated clothing and wash it before reuse. P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international

Fatty acids, C16-18 and C18-unsatd., Me esters, epoxidized, reaction products with ethylene glycol

regulations.

- 2.3 Other hazards

- Results of PBT and vPvB assessment

- PRT Not applicable. - vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures

- Description: Mixture of substances listed below with nonhazardous additions.

- Dangerous components:

Fatty acids, C16-18 and C18-unsatd., Me esters, epoxidized, reaction products with ethylene glycol CAS: 211450-54-3 EC number: 606-712-3 Skin Sens. 1B, H317

- Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.

(Contd. on page 2)

25-50%





according to 1907/2006/EC, Article 31

Version number 4 (replaces version 3) Revision: 21.01.2022 Printing date 21.01.2022

Trade name: KEMPERTEC R-Primer (A)

(Contd. of page 1)

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48

hours after the accident.

Do not leave affected persons unattended. Personal protection for the First Aider.

Take affected persons out of danger area and lay down.

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

Immediately wash with water and soap and rinse thoroughly. Seek medical treatment in case of complaints.

- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

Protect unharmed eye.

- After swallowing:

- After skin contact:

- After inhalation:

- 4.2 Most important symptoms and effects,

both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

If symptoms persist consult doctor.

No further relevant information available No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media

- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

- For safety reasons unsuitable extinguishing

- 5.2 Special hazards arising from the

substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Nitrogen oxides (NOx) Carbon monoxide (CÓ)

Water with full jet

- 5.3 Advice for firefighters

- Protective equipment:

Do not inhale explosion gases or combustion gases.

- Additional information Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective

equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

Avoid contact with skin and eyes Ensure adequate ventilation

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

Prevent from spreading (e.g. by damming-in or oil barriers).

Inform respective authorities in case of seepage into water course or sewage system.

- 6.3 Methods and material for containment

- 6.4 Reference to other sections

and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Do not flush with water or aqueous cleansing agents

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

Store in cool, dry place in tightly closed receptacles.

- 7.2 Conditions for safe storage, including any incompatibilities

Storage:

- Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

- Information about storage in one common

storage facility:

Store away from foodstuffs.

- Further information about storage conditions:

Protect from frost.

Store in dry conditions.

10

Store in cool, dry conditions in well sealed receptacles.

Recommended storage temperature: 5-30 °C

- Storage class:

(Contd. on page 3)



according to 1907/2006/EC, Article 31

Printing date 21.01.2022 Version number 4 (replaces version 3) Revision: 21 01 2022

Trade name: KEMPERTEC R-Primer (A)

- 7.3 Specific end use(s) No further relevant information available. (Contd. of page 2)

SECTION 8: Exposure controls/personal protection

- 8.1 Control parameters

- Ingredients with limit values that require monitoring at the workplace:

- Additional information: The lists valid during the making were used as basis.

- 8.2 Exposure controls

- Appropriate engineering controls No further data; see item 7. - Individual protection measures, such as personal protective equipment

- General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin

When used properly and under normal conditions, breathing protection is not required. - Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

Filter A/P2

Respiratory protection - Gas filters and combination filters according to (DIN EN 141)

- Hand protection

- Material of gloves



Protective gloves

Check protective gloves prior to each use for their proper condition. Only use chemical-protective gloves with CE-labelling of category III.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics.

Recommended materials:

Butyl rubber, BR

Recommended thickness of the material: ≥ 0.5 mm

Penetration time (min.): < 480

The selection of the suitable gloves does not only depend on the material, but also on further marks of

quality and varies from manufacturer to manufacturer.

- Penetration time of glove material The determined penetration times according to EN 16523-1:2015 are not performed under practical

conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is

According to product specification

Characteristic

Not determined

Undetermined.

Not applicable.

351 °C

recommended.

- As protection from splashes gloves made of

the following materials are suitable:

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.1 mm

Penetration time (min.): < 10

- Eye/face protection



Tightly sealed goggles

- Body protection: Protective work clothing protective clothing (EN 13034)

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties

- General Information - Colour:

- Odour:

- Odour threshold:

- Melting point/freezing point:

- Boiling point or initial boiling point and boiling range - Flammability

- Lower and upper explosion limit

- Lower:

Not determined. - Upper: Not determined. - Flash point: >200 °C

(Contd. on page 4)





Safety data sheet according to 1907/2006/EC, Article 31

Printing date 21.01.2022 Version number 4 (replaces version 3) Revision: 21.01.2022

Trade name: KEMPERTEC R-Primer (A)

			(Contd. of page 3)	
- Auto-ignition temperature:		Product is not selfigniting.	(contail of page o)	
- Decomposition temperature:		Not determined.		
- pH - Viscosity:		Not determined.		
- Kinematic viscosity at 20 °C		1,100 mm ² /s		
- Dynamic: - Solubility		Not determined.		
- water:		Not miscible or difficult to mix.		
 Partition coefficient n-octanol/water (log v Density and/or relative density 	alue)	Not determined.		
- Density at 20 °C:		1.07 g/cm ³		
- Relative density - Vapour density		Not determined. Not determined.		
- 9.2 Other information		Not determined.		
- Appearance:				
- Form: - Important information on protection of head	alth and environment, and on	Fluid		
safety.	and on monnion, and on			
- Ignition temperature: - Explosive properties:		Not determined. Product does not present an explosion hazard.		
- Solvent separation test:				
- VOC (EC) - Change in condition		2.50 %		
- Evaporation rate		Not determined.		
- Information with regard to physical hazard classes				
- Explosives	Void			
- Flammable gases	Void			
- Aerosols				
- Oxidising gases	Void			
	Void			
- Gases under pressure				
Elements Books	Void			
- Flammable liquids	Void			
- Flammable solids	Void			
- Self-reactive substances and mixtures	Void			
	Void			
- Pyrophoric liquids	Void			
- Pyrophoric solids				
- Self-heating substances and mixtures	Void			
	Void			
 Substances and mixtures, which emit flam water 	mable gases in contact with			
Water				
	Void			
- Oxidising liquids				
- Oxidising solids	Void			
	Void			
- Organic peroxides	Void			





according to 1907/2006/EC, Article 31

Printing date 21.01.2022 Version number 4 (replaces version 3) Revision: 21.01.2022

Trade name: KEMPERTEC R-Primer (A)

(Contd. of page 4)

- Corrosive to metals

Void

- Desensitised explosives

Void

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability

- Thermal decomposition / conditions to be

avoided:

- 10.3 Possibility of hazardous reactions

- 10.4 Conditions to avoid

- 10.5 Incompatible materials:

- 10.6 Hazardous decomposition products:

No decomposition if used according to specifications.

No dangerous reactions known.

No further relevant information available. No further relevant information available. No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- Acute toxicity Based on available data, the classification criteria are not met. - Skin corrosion/irritation Based on available data, the classification criteria are not met. - Serious eye damage/irritation Based on available data, the classification criteria are not met.

- Respiratory or skin sensitisation May cause an allergic skin reaction.

- Germ cell mutagenicity Based on available data, the classification criteria are not met. - Carcinogenicity Based on available data, the classification criteria are not met. - Reproductive toxicity Based on available data, the classification criteria are not met. - STOT-single exposure Based on available data, the classification criteria are not met. - STOT-repeated exposure Based on available data, the classification criteria are not met. - Aspiration hazard Based on available data, the classification criteria are not met.

- 11.2 Information on other hazards

- Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- 12.1 Toxicity

- Aquatic toxicity: No further relevant information available. - 12.2 Persistence and degradability No further relevant information available. - 12.3 Bioaccumulative potential No further relevant information available. - 12.4 Mobility in soil No further relevant information available.

- 12.5 Results of PBT and vPvB assessment

- PBT:

- vPvB:

Not applicable. - 12.6 Endocrine disrupting properties

- 12.7 Other adverse effects

- General notes:

- Additional ecological information:

The product does not contain substances with endocrine disrupting properties.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage

system.

Not applicable.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods

- Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Disposal according to official regulations

- European waste catalogue

08 04 09* waste adhesives and sealants containing organic solvents or other hazardous substances packaging containing residues of or contaminated by hazardous substances

17 02 03 plastic

(Contd. on page 6)





according to 1907/2006/EC, Article 31

Version number 4 (replaces version 3) Printing date 21.01.2022 Revision: 21.01.2022

Trade name: KEMPERTEC R-Primer (A)

(Contd. of page 5)

- Uncleaned packaging:

- Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information		
- 14.1 UN number or ID number - ADR, ADN, IMDG, IATA	Void	
- 14.2 UN proper shipping name - ADR, ADN, IMDG, IATA	Void	
- 14.3 Transport hazard class(es)- ADR, ADN, IMDG, IATA- Class	Void	
- 14.4 Packing group - ADR, IMDG, IATA	Void	
- 14.5 Environmental hazards: - Marine pollutant:	No	
- 14.6 Special precautions for user	Not applicable.	
- 14.7 Maritime transport in bulk according to IMO instruments Not applicable.		
- UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX

Conditions of restriction: 3

- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II

None of the ingredients is listed.

- REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

- Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

- Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

The safety data sheet issued is also compliant with the regulation Annex I of Regulation (EU) no. 453/2010 and Annex II of Regulation (EU) no. 2020/878.

- Relevant phrases H317 May cause an allergic skin reaction.

- Department issuing SDS: research & development research & development - Contact:

- Date of previous version: 21.01.2022

- Version number of previous version:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International - Abbreviations and acronyms:

Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

(Contd. on page 7)





- Sources

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 21.01.2022 Version number 4 (replaces version 3) Revision: 21.01.2022

Trade name: KEMPERTEC R-Primer (A)

(Contd. of page 6)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1B: Skin sensitisation – Category 1B

- www.echa.europa.eu

- www.baua.de

IFA: Institute für Occupational Safety and Health of the German Social Accident Insurance:
- www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index.jsp

- www.dguv.de/ifa/gestis/gestis-dnel-liste

- * Data compared to the previous version altered.